

S-E-C-R-E-T

CIA/RR GB 64-47 December 1964

SURFACE WIND DATA FOR SPECIFIED FACILITIES IN THE USSR

Summaries of the wind characteristics in the vicinity of 19 specified facilities in the USSR and surface wind data for the nearest meteorological station are given below. Table 1 gives general wind characteristics for each facility. It also indicates which of the supplementary tables (Tables 2 through 16) provides additional data on conditions at the nearest meteorological station. The supplementary tables give available data on average velocities by month or by direction, percentage frequencies of winds from different directions and at different velocities, and frequencies of calms and high winds. In most cases the nearest meteorological station is located not in the immediate vicinity of the facility but at some distance from it. Because of this and because local terrain may modify general wind patterns, the data collected at the station are not always truly representative of wind conditions at the facility. Because some tables include data from more than one source, slight discrepancies appear. Lengths of record for the data in all the tables are unknown. All data have been extracted from various official Soviet publications issued between 1954 and 1963 and are considered to be the most reliable data available.

S-E-C-R-E-T

GROUP 1

Excluded from automatic downgrading and declassification

S-E-C-R-E-T

 $\label{thm:condition} \mbox{Table 1}$ General Wind Characteristics at Specified Soviet Facilities

Facility	General Wind Characteristics	Meteorological Station and Supplementary Table
1	Flow from east or west predominant throughout year with east winds somewhat more frequent; west winds in general have higher velocities. Surface winds average 7-13 miles per hour (mph) with generally higher velocities in spring, fall, and early winter.	Biysk 52 ⁰ 34'N-85015'E Table 2
2	East and southeast winds predominant, but winds with westerly components common. Surface winds average 7-12 mph with little seasonal variation. Calms frequent in summer and fall. Strong winds recorded each month but most frequent in winter. Surface winds in summer have higher velocities in afternoon.	Kamensk-Shakhtinskiy 48°21'N-40°19'E Table 3
3	Prevailing winds east in winter and west-northwest in summer. Velocities average 8-14 mph with generally higher winds in summer.	El'ton 49°08'N-46°50'E Table 4
		Verkhniy Baskunchak 48°14'N-46°44'E Table 5
<u>1</u> ,	Prevailing winds in winter south or southwest; winds in summer vary in direction. Strong winds reported each month but most common in December.	Tayga 56 ⁰ 04'N-85 ⁰ 37'E Table 6

Facility	Table 1 (Continued) General Wind Characteristics	Meteorological Station and Supplementary Table
5	Prevailing winds from southeast to west and northwest in winter and from west to north in summer. Velocities average 7-11 mph. Summer winds generally lighter and more variable in direction.	Moscow 55 ⁰ 45'N-37 ⁰ 35'E Table 7
6, 7	Surface winds from southwest predominant throughout year. Calms and light winds common all year with surface winds averaging 4-6 mph. Strong winds recorded each month but most frequent in winter and spring.	Krasnoyarsk 56 ⁰ 01'N-92 ⁰ 50'E Table 8
8	Prevailing winds in summer generally have northerly component and in winter southerly component; east and west winds common all year. Velocities average 7-12 mph with summer winds generally lighter. Strong winds rare in summer.	Kuybyshev 53°14'N-50°10'E Table 9
9	Prevailing winds from west, southwest, and south; secondary winds in summer from north and northwest. Calms and light winds very common. Strong winds recorded each month but most frequent in late spring.	0msk 54°58'N-73°23'E Table 10
10, 11	Predominant wind in winter southwest and in summer west or southwest. Northeast winds common in morning and evening. Surface winds average 6-9 mph with little seasonal variation.	Perm' 58º00'N-56º15'E Table ll

Approved For Release 2001/05/17 : CIA-RDP79T01019A000200430001-1 $$\rm S-E-C-R-E-T$$

Table 1 (Continued)

	(
Facility	General Wind Characteristics	Meteorological Station and Supplementary Table
12, 13, 14	Winds generally variable but most commonly from southeast to northwest in winter and from west to northwest in summer. West winds in midsummer more common in midday than in morning. Surface winds average 8-10 mph with little seasonal variation. High winds infrequent except in spring.	Leningrad 59º55'N-30º15'E Table 12
15	Winds from northeast predominant, especially in winter. Winds more variable in summer with winds from south or southwest common. Surface winds average 10-13 mph with little seasonal variation. Diurnal variations pronounced in summer with highest velocities in afternoon. Land breezes blow offshore toward Lake Balkhash at night and sea breezes onshore in late morning and afternoon during spring, summer, and fall.	Balkhash 46°49'N-75°00'E Table 13
16	Prevailing winds from southwest in summer and from north and northwest in winter.	No data available
17	Winds with northerly and easterly components generally predominant in winter; in summer west and northwest winds common. Surface winds average 6-9 mph with little seasonal variation.	Kazalinsk 45046'N-62007'E Table 14 Kyzl-Orda 44048'N-65028'E Table 15

S-E-C-R-E-T

Table 1 (Continued)

Facility	General Wind Characteristics	Meteorological Station and Supplementary Table
18	Prevailing winds in spring from southeast but southwest winds common; reverse pattern in fall. Summer winds generally from north in morning and from southwest in afternoon. Winter winds variable; north or northeast winds probably least frequent. Surface winds average 8-14 mph with higher velocities generally in winter and late spring.	Voronezh 51°38'N-39°12'E Table 16
19	Prevailing winds from southeast to west and northwest in winter and from west to north in summer. Velocities average 7-11 mph. Summer winds generally lighter and more variable in direction.	Moscow 55 ⁰ 45'N-37 ⁰ 35'E Table 7

S-E-C-R-E-T

Table 2
Surface Wind Data
BIYSK
(52°34'N-85°15'E)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average velocity (mph)	9.6	8.7	12.1	11.4	11.2	9.4	7.8	7.6	9.2	10.3	12.7	11.2	10.1
Average number of days with wind velocity >33.5 mph	1.6	1.5	1.4	1.3	1.8	2,2	1.0	1,5	1.9	2.9	1.9	3.0	22.0
	North	Nor	theast	Eas	t So	utheas	t So	uth	Southw	est	West	North	nwest
Average velocity (mph)													
January July	4.0 6.9		7.4 6.9	7.2 6.9		6.3 6.7		•3 •7	12. 8.		13.6 7.6	6	7.8 6.5
Average frequency (percent)													
January July	6 9		.4 .4	29 20		10 13	3 7		14 14		19 13	10	5

Average number of calms:

January 13 July 13

Approved For Release 2001/05/17 : CIA-RDP79T01019A000200430001-1 $$\rm S-E-C-R-E-T$

Table 3
Surface Wind Data
KAMENSK-SHAKHTINSKIY
(48021'N-40019'E)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average velocity (mph)	10.5	5 12.1	12.1	10.7	9.6	8.7	7.6	8.3	9.4	10.1	11.4	11.6	10.3
Average frequency (percent)													
North Northeast East Southeast South South Southwest West Northwest	5 12 23 13 6 14 18 9	4 11 26 19 8 13 13	6 10 25 20 8 14 11 6	7 10 22 18 11 15 11	7 9 22 15 10 14 14	6 10 15 11 10 17 19	7 8 14 11 8 16 22 14	6 8 20 12 6 13 21 14	7 9 24 18 7 13 14	4 8 32 16 6 13 13	4 8 28 19 7 14 13	4 9 26 17 7 13 17	5 9 23 16 8 14 15

Average number of calms:

January	5	July	7
February	4	August	12
March	5	September	13
April	7	October	11
May	7	November	9
June	8	December	4

- 6 -

S-E-C-R-E-T

Table 4
Surface Wind Data
EL'TON
(49°08'N-46°50'E)

	North	Northeast	East	Southeast	South	Southwest	West	Northwest	Total
Average velocity (mph)					22.6	33.0	11.0	9 . 2	N. A.
January July	10.1 8.7	13.2 9.6	14.1 9.6	13.0 9.6	11.6 8.9	11.2 9.2	9.6	8.9	N.A.
Average frequency (percent)						7.0	11	8	N.A.
January July	6 14	14 13	23 11	17 9	9 7	12 12	11 17	17	N.A.
Average frequency of	(percent	t)							
velocity ranges	(mph)		J	anuary				0:0	17 5
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	1.8 3.8 1.3 0	1.4 6.0 5.6 0.4 0.1	1.7 10.2 9.6 1.4 0.1	8.3 5.7 0.3	1.4 4.5 2.5 0.2	1.8 5.9 3.5 0.2 0	1.7 6.6 3.2 0.5	4.7 1.7	13.5 50.0 33.1 3.0 0.4
				July				. 1. 7	16.7
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	1.7 9.8 1.2 0	2.2 9.9 2.6 0.1 0	1.7 7.0 2.1 0	4.4	1.2 4.1 0.8 0.1	1.7 7.9 2.4 0	2,7 11.9 3.4 0.1 0	11.7 2.0	66.7 16.1 0.5

Average number of calms:

January 4 July 3

> - 7 -S-E-C-R-E-T

S-E-C-R-E-T

Table 5
Surface Wind Data
VERKHNIY-BASKUNCHAK
(48014'N-46044'E)

	North	Northeast	East	Southeast	South	Southwest	West	Northwest
Average frequen (percent) January July	7 10	12	22 12	12 7	10 9	13 13	16 23	8 16
				three coldes				

Average number of calms:

January 1 July 2

S-E-C-R-E-T

Table 6
Surface Wind Data
TAYGA
(56°04'N-85°37'E)

	North	Northeast	East	Southeast	South	Southwest	West	Northwest
Average velocity (mph)								
January July	3.6 5.6	5.4 7.6	4.0 7.2	6.5 6.9	12.1 7.6	13.9 8.3	7.6 6.5	3.2 5.8
Average frequency (percent)								
January July	2 11	9 19	1 5	6	39 18	38 19	4 9	1 9

Average number of calms:

January 9 July 16

Table 7
Surface Wind Data
MOSCOW
(55°45'N-37°35'E)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average velocity (mph)	10.3	10.3	10.5	9.6	9.2	7.8	7.2	7.4	8.7	9. 6	10.3	9.8	9,2
Average number of days with wind velocity >33.5 mph	1.9	2.0	1.9	1.7	1.8	1.4	1.0	0.9	1.5	1,6	2.1	1.7	19.5
Average frequency (percent)													
North Northeast East Southeast South South Southwest West Northwest	8 4 7 16 14 17 20 14	10 5 7 18 15 15 16 14	9 6 7 14 15 16 20	11 8 8 18 17 14 12	16 12 9 12 11 12 13 15	15 9 8 10 10 14 15	18 10 11 8 7 11 15 20	13 6 10 12 9 14 17	9 5 4 10 15 19 21 17	7 5 5 14 17 19 20	7 5 5 15 19 20 17 12	7 6 6 17 19 16 17 12	11 7 7 14 14 15 17
	Nort!	h <u>Nor</u>	theast	East	Sout	heast	South	Sout!	hwest	West	North	west	<u>Total</u>
Average velocity (mph) January July	14.3 9.8		9.8 6.9	10.1 8.5		12.1 8.5	10.3		.8 .4	10.7 7.4	14. 10.		N.A. N.A.

- 10 -

Approved For Release 2001/05/17 : CIA-RDP79T01019A000200430001-1 $_{\mbox{S-E-C-R-E-T}}$

Table 7 (Continued)

		Ta	ble ((COTTO TITUE CA)					
	North	Northeast	East	Southeast	South	Southwest	West	Northwest	Total
Average frequency	(percen	t)							
of velocity ranges									
			J:	anuary					-1 0
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	2.3 5.1 1.1 0.1 0.1	1.8 4.0 0.3 0	2.0 4.8 1.3 0.1	4.7 7.9 3.1	4.0 8.3 4.0 0.6 0.2	4.4 11.4 2.6 0.2 0.2	3.1 7.4 1.9 0.1 0.1	2.5 6.9 2.5 0.3 0	24.8 55.8 16.8 1.7 0.9
				July					
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	6.3 9.0 2.7 0.1	4.1 5.6 1.1 0	3. 5. 0. 0	5 2.7 7 5.6 9 0.9	1.4 4.7 0.7 0	3.0 6.5 0.5 0	4.3 10.0 1.4 0	10.2	30.9 57.3 11.3 0.4 0.1

Approved For Release 2001/05/17 : ผู<u>A</u><u>RDR</u>79<u>T</u>91019A000200430001-1

Table 8
Surface Wind Data
KRASNOYARSK
(56°01'N-92°50'E)

	Jan	Feb	Mar	Apr	May	<u>Jun</u>	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average velocity (mph)	5. 6	4.0	5.4	6.0	6.0	4.7	3.8	3.8	4.9	5. 6	6.3	5.1	5.1
Average number of days with wind velocity >33.5 mph	1.8	0.9	1.5	1.3	1.6	0.7	0.7	0.5	0.6	1.3	1.8	1.8	14.5
Average frequency (percent)													
North Northeast East Southeast South South West Northwest	1 2 4 2 4 4 48 30 9	2 3 3 2 4 38 24 24	2 5 5 4 41 28 14	2 8 4 3 42 28 11	2 3 6 3 5 46 24 11	3 12 5 6 40 21	2 4 12 7 7 39 18	2 3 9 5 7 42 23 9	2 3 6 3 4 50 25 7	1 3 4 2 6 46 29 9	1 3 3 3 3 51 27 9	2 4 3 2 45 28 14	2 3 7 3 4 44 26 11
Average number of calms	19	20	18	12	11	10	17	20	16	15	13	23	194
Average frequency of velocity ranges	(perce	nt)											
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	57.3 32.3 8.4 1.7 0.3	68.0 27.5 4.2 0.3	57.0 35.4 6.8 0.8	47.2 43.3 8.8 0.5 0.2	47.7 44.8 6.7 0.7 0.1	56.9 40.3 2.7 0.1 0	65.8 33.1 1.1 0	64.1 34.9 1.0 0	53.1 42.6 3.9 0.3 0.1	50.3 42.5 6.8 0.4	48.9 40.5 9.0 1.0 0.6	58.8 29.6 10.9 0.5 0.2	

- 12 -

Table 9
Surface Wind Data
KUYBYSHEV
(53°14'N-50°10'E)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average velocity (mph)	10.7	11.6	11.9	10.5	10.1	8.9	7.8	8.1	8.7	10.3	10.3	11.0	10.1
Average frequency (percent)													
North Northeast East Southeast South Southwest West Northwest	10 6 21 15 13 16 12	9 6 25 16 9 18 10	8 5. 16 11 14 23 16	12 9 15 9 12 20 14 9	14 9 12 8 7 17 18	17 14 12 6 4 14 19 14	21 14 12 5 3 9 18	18 16 19 7 3 7 14 16	15 7 11 9 10 16 17 15	10 7 13 7 11 17 21 14	12 5 17 12 10 18 17 9	10 4 20 11 12 21 14 8	13 8 16 10 9 16 16 12

Average number of calms:

January	5	July	8
February	4	August	8
March	3	Septembe r	6
April	3	October	5
Mav	4	November	6
June	4	December	4

- 13 -

S-E-C-R-E-T

S-E-C-R-E-T

Table 10

Surface Wind Data OMSK (54°58'N-73°23'E)

			ν.	J+ JC .	17 -) –,							
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	0ct	Nov	Dec	Annual
Average frequency (percent)													
North Northeast East Southeast South South West Northwest	5 4 8 10 19 27 20 7	4 5 11 10 22 22 20 6	6 10 8 19 24 20	9 5 7 15 21 23	12 6 7 8 16 17 19	16 9 5 9 14 11 20 16	16 10 9 8 13 11 17 16	16 6 8 14 13 22 15	8 5 6 8 19 18 24 12	7 3 6 20 23 27 11	5 3 5 8 20 27 22 10	4 8 10 19 25 22 8	9 6 7 8 17 21 21
Average frequency of velocity ranges	(perce	nt)											
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	52.4 38.2 7.4 1.4 0.6	52.4 36.3 8.0 2.0 1.2	55.9 34.0 8.3 1.0 0.8	47.6 38.1 11.4 1.7 1.2	43.5 39.2 13.2 2.5 1.6	48.0 40.2 9.5 1.6 0.7	49.0 40.0 9.6 0.8 0.6	45.9 43.8 9.0 0.6 0.7	47.3 40.1 10.4 1.6 0.7	41.4 42.0 14.0 1.5 1.1	42.6 41.6 12.2 2.8 0.8	48.4 39.7 9.8 1.3 0.8	
Average number of days with wind velocity >33.5 mph	1.3	1.3	2.9	2.0	2.9	2.0	1.0	1.5	1.4	1.7	2.2	1.9	22.1
		F M A M	Avera anuary ebruar arch april lay une	11	Jul Aug Ser Oct Nov	calms y ust otember ober ember ember	15 15						

- 14 -S-E-C-R-E-T

S-E-C-R-E-T
Table ll
Surface Wind Data
PERM'
(58000'N-56015'E)

	Jan Feb Mar	Apr May	Jun Jul	Aug Se	o Oct Nov	Dec Annual
				6.3 7.2		8.3 7.6
Average velocity (mph)	8.5 7.4 8.7	7.8 8.3	6.7 5.8	0.7	2 0.9 0.1	
Average number of days with wind velocities >33.5 mph	0.3 0.7 0.5	0.4 1.7	0.9 0.9		_	0.5 8.8
	North Northe	ast East	Southeast	South	Southwest W	est Northwest
Average velocity (mph)			0	20.5	10.7	o.8 6.0
January July	4.7 5.8 5.6 5.6	7.4 5.8	8.3 6.7	10.5 6.0		2.2 6.3
Average frequency (percent)				- 1	0). 15	7 6
Annual January July	7 10· 4 9 14 13	10 10 11	12 14 9	14 16 10	24 15 29 15 16 18	5 3
Average frequency (percent) of velocity ranges (mph)	Dec-Feb	Mar-May		-Aug	Sep-Nov	Annual
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	28.4 50.9 17.9 1.9 0.9	28.3 50.2 18.4 2.4 0.7	5.	7.8 1.1 0.2 0.7 0.2	26.1 52.9 18.7 1.7 0.6	30.1 51.3 16.3 1.7 0.6

Average number of calms:

January 6 July 11

Average number of calms during a year: 80

Table 12
Surface Wind Data
LENINGRAD
(59°55'N-30°15'E)

	Т	Tilede	More	Ann	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average velocity (mph)	<u>Jan</u> 10.7	<u>Feb</u> 10.3	<u>Mar</u> 10.1	<u>Apr</u> 9.4	9.2	9.2	8.7	8.9	9.8	10.3	10.7	10.5	9.8
Average frequency	3 6 8 18 18 16 18	5 8 8 17 17 14 18	5 10 9 17 13 14 18 14	5 14 12 15 13 12 16 13	6 14 12 10 9 9 21	8 14 10 9 8 10 23 18	7 17 12 9 8 9 21	8 11 10 13 11 14 18 15	8 7 7 13 14 16 18	5 8 16 20 18 13 14	5 8 17 18 18 13	4 6 9 19 18 16 13	6 10 9 15 14 14 17 15
	Nort	h <u>Nor</u>	theast	East	Sout	heast	South	Sout	nwest	West	North	west	
Average velocity (mph) January July	8.5 8.5		7,8 8 .7	9.8 8.7		1.6 9 . 2	11.4	10 8	•3 •9	10.1	8. 7.	3 8	

- 16 -

Approved For Release 2001/05/17 : CIA-RDP79T01019A000200430001-1 $$_{S-E-C-R-E-T}$$

Table 13
Surface Wind Data
BALKHASH
(46049'N-75000'E)

Annua⊥ Nov Oct Sep Jun Aug Ju⊥ May Mar Apr Feb Jan 11.2 11.0 10.7 10.1 10.3 10.7 10.5 11.6 11.0 11.2 Average velocity (mph) 12.7 11.6 12.5 0.8 14.3 0.8 0.9 Average number of days 1.0 0.8 2.0 2.0 1.0 2.0 1.0 1.0 1.0 with wind velocities >33.5 mph Northwest West Southwest South Southeast East Northeast North Average velocity (mph) 8.3 7.8 5.8 8.7 6.7 11.2 12.1 8.7 12.7 13.2 12.5 January 11.2 12.1 12.5 12.1 10.5 10.1 12.3 11.2 8.7 July 11.6 8.9 12.5 9.8 Annual Average frequency (percent) at 0100 and 1300 hours January 5 7 3 1 6 3 8 0.4 71 4 7 0100 18 57 4 1300 April 8 9 2 1 14 49 10 22 18 0100 19 15 15 2 1300 July 15 4 7 8 6 2 1 6 44 19 19 0100 41 15 4 5 4 1300 October 14 8 94 8 3 18 7 14 3 17 42 14 20 0100 17 1300

- 17 -

S-E-C-R-E-T

Table 13 (Continued)

		Table 1	3 (Cont	TILLEG)		Couthwest	West	Northwest	
	North	Northeast	East	Southeast	South	Southwest			
Average frequency January July Annual	(percent) 3 10 7	66 22 42	12 8 11	2 8 5	2 18 8	6 16 12	6 7 8	7 11 7	

Average velocity	Average frequency (percent)
(mpn)	100 86.5 63.6
0 4.5 8.9 13.4 17.9 22.4 26.8 31.3 35.8 40.3	63.6 37.7
13. ¹ 4 17.9	37.7 18.5 9.3 4.5 1.7 0.8
22.4 26.8	1.7 0.8
35.8 40.3	0.2
44.7 53.7	0

Average number of calms:

January 4
July

_ 18 -

S-E-C-R-E-T

Table 14

Surface Wind Data KAZALINSK (45°46'N-62°07'E)

			(45~	40. M=	JE - 0 (O = 20	Oat	Nov	Dec <u>Annual</u>
	Jari	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct.	6.9	8.1 7.2
Average velocity (mph)		7.6	8.5	8,5	8.1	6.9	6.3	5,8	6.0	6.7	0.9	
Average number of days with wind velocities	1.0	2.0	2.0	3.0	1.0	0.9	0.9	0.4	0.5	1.0	0.7	1.0 14.4
>33.5 mph	North	Nor	theast	Eas	st S	outheas	<u>st</u> S	outh	South	rest	West	Northwest
Average velocity (mph) January July Annual			6.7 6.3 7.4	7 5 7	. 4 . 4	6.3 5.1 6.5		.0.7 5.8 8.5		.6 .3 .6	8.9 7.8 8.5	4.9 6.7 6.5
Average frequency (pe	rcent) 11 18		28 13	19) 3	1 <u>1</u>		1 0 3	9 13) ;	7 20	5 21
July		age ve	locity	<u>.</u>		<i>I</i>	Averag (<u>r</u>	e freq ercent	uency)		•	
		0 4.5 8.9 13.4 17.9 22.4 26.8 31.3	3					100 68.9 31.2 14.0 6.3 3.4 2.4 1.6 0.6				
:		40.3	7	se nu	mber o	f calm	s:					

Average number of calms: January July - 19 - ^ R-E S-E-C-R-E-T

Approved For Release 2001/05/17 : CIA-RDP79T01019A000200430001-1 $_{\text{S-E-C-R-E-T}}$

Table 15
Surface Wind Data
KYZL-ORDA
(44048'N-65028'E)

			(440	,48, M-6	25,20 7	<u> </u>						70 -	Annual
					May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
	Jan	Feb	Mar	Apr				6.0	6.3	6.5	6.9	7.8	7.2
Average velocity (mph)	7.6	8.7	8.3	8.3	7.2	6.3	5.8	0.0				0.3	5• ¹ 4
Average number of days with wind velocities		0.7	1.0	0.7	0.5	0.4	0.1	0	0.3	0.4	0.5	0.5)• ⁻
>33.5 mph	North	. Noi	ctheast	Eas	st So	outheas	st S	outh	South	west	West	Nort	hwest
	1101 01												
Average velocity (mph)	6.5		9.4	7	. 2	5.6		6.5 4.2	8. 7.		7.6 6.9	•	5.8 7.4
January July Annual	6.7 5.8		6.9 8.7		5.1	7.4 5.8		6.5	8.	3	7.2		6.3
Average frequency (percent)				-	7	a		9	14		4	c	4 24
Janua ry July	10 26		37 22	1	9 	9 3		9 2	14		10		_

Average number of calms:

January 8 July 17

- 20 -

S-E-C-R-E-T

Table 16
Surface Wind Data
VORONEZH
(51°38'N-39°12'E)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average velocity (mph)		12.5	11.4	11.4	11.0	9.2	8.5	8.3	9.4	11.6	11.9	12.1	
	North	Nort	heast	East	South	east	South	South	west	West	Northw	<u>est</u>	Total
Average velocity (mph)									0	-) 0	3.5	0	not A
January July	11.6 7.6	9	0.4 7.6	10.3 6.9	11 6	•2 •5	13.0 8.3		.8).7	14.8 10.7	15. 10.		N.A. N.A.
Average frequency (per	cent)									7.7	10		N.A.
January July	7 15	13 13		21 10	14 6		12 9	13 10		13 17	12 20		N.A.
Average frequency (percent) of velocity ranges (mph)				Janı	ıary								
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	1.4 6.9 2.9 0.2		1.6 7.8 2.3 0	1.0 6.7 3.8 0.2 0.1]]	7.6 4.8 0.7	1.0 6.1 4.8 0.5 0.1	((1.2 6.7 5.1 0.7	1.2 6.9 5.0 0.4 0.1	1. 5. 3. 0.	4	10.2 54.1 32.1 3.2 0.4
				Ju	-						7	7	07 5
0-4.5 4.5-13.4 13.4-24.6 24.6-33.6 33.6	4.1 11.2 3.5 0.3	1	3.0 0.7 1.8 0.1	2.3 6.1 0.9 0	1	2.6 4.2 0.6 0	2.2 3.1 0.9 0		2.3 5.2 1.2 0.2	3.7 8.3 3.5 0.5 0.1	9 4 0	.7 .0 .3	23.5 58.5 16.4 1.4 0.2

Average number of calms:

January 3 July 4

- 21 -

(late: 28 October 1964

To: Ch/G

"MROUGH: Ch/GO

ch/00/8 PHOM:

SUBJECT: Research Activity Notice

SUBJECT: Wind Data

PROBLEM: To provide wind data (directions, velocities) for 17 specified

points in the USSR.

Life Sciences/ORD/DDS&T FOUESTER:

25X1A

AWALLYST:

00/8

25X1A

CORDINATION Hone WITH OR AID

LIKOM OTHER OUTS:

10 November 1964

FEFTACABLE

IS E DATE:

HIGHERT NO.

(if any):

GB64-47 (Dea 64)

Classification is SECRET except

one page which is TSR



DISTRIBUTION LIST

	THE OTHER MEST		SPECIFIED FACILITI	Classification/	Dec64 SECRET
			60.2051 J	COLLECT COLLECTION	nel haqqiqqq in tradition galaring day and an englishing part
Requester OS]	[/LSD/DDS&T			and and the first of the control of	
nalyst/Branch	25X1A	GG/S	Graphics	None	
Copy No.	To				Date
در د	or Ch/m's file	n, н. Америк (ум. 1996). 1996 жүү дүү дүү дүү дүү байдаган байгайдага			
один кантинан баш, по прочит подот какери 12 г.	C C	encommina (A). En simply species (A) comming and a second	and photogrammatics (1987) - 1988年 1988年1985年,1984年1973年 1983年 1987年 1987年 1984年 1984年 1984年 1985年 1988年 1988年		g or regional grant and the second
·····································	In Ch/e's	and the second s		ng thing and the contract of t	
The state of the s	o Internal	25X1A	COLUMN TO THE RESERVE OF THE PERSON OF THE P		
and the state of t	pecial	and the state of t	annationes. Abstractivity typis. The property which Matter alphanes the thirty risk th	et erre stillendet. Inneste som errende og stille det til ett er stillende til det tillhæss fra stillhæss fra	
	o la l	ligationismo vap veidina subreto elikatorie: subritambili dirita	nga nguyang mang ngunggan ngung	nyaandeliin tamini tala-sariisadii ta 7 Maada 1 Mar Aansii Silyeenaariisadii ka ka Ka ka	Control of the Contro
estroman-d. L'entermonesses septimistres de l'entermonesses de l'enter	nent to the	gaglia, yizi migas ingirinding mengelebah didiri dikenterak menendak didiri dikenterak didiri dikenterak didiri dikenterak didiri dikenterak didiri dikenterak didiri dikenterak didiri	rectification and states (the continue course the states from a sense, as also sense course of the states of the s		
asterangen frier sladen i State slade menengis, in disambilian disambilian in efficience in	ement oven ppler Room rnt.	1			
SERVICE CONTROL OF THE CO	auppl prneq h s in oleme			THE CORE IS THE TOWARD FOR COMMENTAL AND	
The state of the s	fill fill	Secretarian sources que se company de la com	er jagalakan, eun jagun ein proprieta ander krynn ogskingsgrei van mannetiskalaksi kili kili kili kanstar		
, pupple and war to work the control of the control	has a one-page supplement that 5 capies were turned over to 6. One copy with supplement wi 7 in Ch/GG's file in Room 2-F-42 copy without supplement.	D D T T T			
ng digwinn pan lifen quin dein a viith deinheid ("Lindfel" Time in Tit fe dun ferind (tropps and	has a 15 copi 1. One 7 in Ch copy wi	D O		gal, gal, jacks sind Alag VI ga Mig II provide Managada Anja Signatur. And se happy of san	
Plantament (State of Control of State of Control of State of Control of Contr	report has sione, 15 concrete, 15 concrete, 15 concrete, 16 concrete,		e dyst - talk deur regilde (som + v deur 1886 aus mild das fille placement, 2755 byr der di filliode - 1999)		
egyezyellőny erethvölyen, Aus fighlitásásásálláb, násztáltágalláben és néls	Therefore, It distribution and one copy	Ψ 	review field (f. C.) yn ymaeth i llawe yr rewne ei y blaned de labouraigh (fig dairean). L'hell de lebened		
made satis, segmented representations to historical PM 9 of Peter	This rel Thereford distributions and one St/P/G	5	· · · · · · · · · · · · · · · · · · ·		
《新文文···································	gia. And the congruence of the contract of the	The second secon			

Remarks: